


Replacement Sheet






FIG. 1 (Prior Art)

Replacement Sheet





FIG. 2 (Prior Art)

#### Replacement Sheet

3/15



### Replacement Sheet

	45	46	48	50	52
	Surface	Radius (mm)	Asphericity Q	Thickness (mm)	Refractive Index n (555nm)
30 (	Anterior Cornea	7.77	-0.18	0.50	1.376
32	Posterior Cornea	6.40	09.0-	3.16	1.376
34	Aqueous	NA	AN	Ϋ́Z	1.336
36	Anterior Lens	12.40	-0.94	1.59	Grad A
38	Mid Lens	Infinity	1	2.43	ΥZ
40	Posterior Lens	-8.10	96.0	16.27	Grad P
42	Vitreous	Ϋ́	NA	NA	1.336
44	Retina	-10.68	1	NA	NA
•					

Replacement Sheet






FIG. 5 (Prior Art)

Replacement Sheet



Replacement Sheet

7/15







FIG. 8 (Prior Art)


9/15

	9/10							
110	Refractive Index n (at 555nm)	1.457	1.457	1.56	1.56	ΥN	1.56	
108	Diameter (mm)	12.0	12.0	5.0	5.0	5.0	12.5	
106	Thickness (mm)	3.9	0.0	1.0	0.0	0.0	0.3	
104	Radius of Curvature (mm)	11.46	Infinite	Infinite	Infinite	Infinite	Infinite	
06	Surface	Front Lens	Rear Lens	Front Spacer	Rear Spacer	Aperture	Diffuser	
		92~	94~	96~	98	100	102	

Replacement Sheet




#### Replacement Sheet




#### Replacement Sheet


12/15



#### Replacement Sheet



#### Replacement Sheet



Title: Retinal Flux Density Meter and Method of Use

Inventors: John Van Derlofske et al.

Inventors: John Van Bellen 12908 Attorney Docket No.: RPI-12908 Replacement Sheet

